

ÙfÙšÙ ÙšÙ...ÙfÙ†Ù†Ùš ØšØ³ØªØ®Ø¬ØšÙ... Ø¬ÙšØª Ø³Ø·Ø±ØšÙ„Ø£Ù^ØšÙ...Ø±Ù„Ø¥Ø¬ØšØ±Ø©Ù...Ø'ØšØ±ÙšØ¹ÙšØ¥

Ø..Ø^-Ø; Ø§Ø³Ø^aØ®Ø^-Ø§Ù... Ø-ÙŠØ^a Ø³Ø·Ø± Ø§Ù„Ø£Ù^Ø§Ù...Ø±

Ù,Ø°Ø°Ø; Ø§Ø³ØªØ®Ø°Ø§Ù... Ø-ÙØª Ø³Ø·Ø± Ø§Ù,,Ø£Ù°Ø§Ù...Ø±ØŒ Ø³ØªØªØ§Ø- Ø¥Ù,,Ù‰ ØªØ«Ø°ÙØª Ø-ÙØª Ø¹Ù,,Ù‰ Ù†Ø,Ø§Ù...ÙfÙ† Ø§Ù,,Ø¹Ø«Ù°Ø± Ø¹Ù,,Ù‰ Ø¥Ø±Ø'Ø§Ø-Ø§Øª Ø§Ù,,ØªØ«Ø°ÙØªÙ,,Ù†Ø,Ø§Ù...ÙÙØªØ°ØºÙÙ,, Windows Ù^macOS Ù^Linux Ø¹Ù,,Ù‰ Ù...ÙÙØªØ°ØºÙÙ,,Ø¥Ù,,ÙfØªØ°ÙÙØªÙÙ.

Ø£Ù^Ø§Ù...Ø± Ø-ÙŠØª Ø§Ù„Ø£Ø³Ø§Ø³ÙŠØ© Ù„Ø³Ø·Ø± Ø§Ù„Ø£Ù^Ø§Ù...Ø±

ØSÙ, Ø<sup>a</sup>Ù‡ÙŠØ | Ø©

$\emptyset^a \emptyset^- \emptyset^\pm \mathring{\emptyset} \mathring{S} \emptyset^- \emptyset S \mathring{U}, \emptyset^a \emptyset^o \mathring{\emptyset} \mathring{S} \mathring{U} \mathring{\emptyset}^\pm \emptyset S \emptyset^a$

Ù„Ø¥¶¶Ø§ÙØ® ØªØºÙÙØ±Ø§Øª Ø¥Ù„Ù‰...Ù†Ø·Ù,Ø© Ø§Ù„ØªØ¬Ø±ÙÙØ±Ø§Øª Ø§ÙØ³ØªØ®Ø¬Ù...Ø§Ù„Ø£Ù...Ø± git add. Ø³ÙÙØ±Ø¬ÙÙÙ‡Ø°Ø§ Ø¥Ù„Ù‰...ÙØ¶Ø¹ Ø¹Ù„Ø§Ù...Ø© Ø¹Ù„Ø§Ù„ØªØºÙÙØ±Ø§Øª Ø¹Ù„Ù‰ Ø£Ù†Ù‡Ø§ Ø¬Ø§Ù‡Ø²Ø©Ù„ÙÙØ±Ù...Ø§Ù„Ø§Ù„ØªØºØ§Ù...Ø...ÙØ¶Ø¹ Ø¹Ù„Ù...Ø³ØªÙØ¶Ø¹.

Ø¥Ø¬Ø±Ø§Ø¡ Ø§Ù„ØªØºÙŠÙŠØ±Ø§Øª

Ù,Ù,ØØ¹Ù‡Ø⁻ Ø·ØÙ,ØºØºÙØ±ØÙØª Ù...Ù†Ù...Ù†Ø·Ù,Ø© ØÙ,ØºØ⁻Ø±ÙØ¬ Ø¥Ù,Ù‰ØØÙ,Ù...Ø³ØªÙ·Ø⁻Ø¹ ØÙ,Ù...Ø-Ù,ÙØÙØ ØÙØ³ØªØ®Ø⁻Ù...ØÙ,ØÙ...Ø±git commit. Ø³ÙØ¤Ø⁻ÙÙ ØÙØ°ØÙ Ø¥Ù,Ù‰ØØÙ,Ø·Ø© Ø¬Ø⁻ÙØ⁻Ø©Ù,Ù...ØØ±Ù·Ø¹ÙÙÙÙ ØÙ,ÙÙ,ØØ,Ø© ØÙ,ÙØ²Ù...Ù†ÙØØ.

$\emptyset^1 \emptyset^\pm \emptyset \P \emptyset \$ \emptyset$ , „ $\emptyset^a \emptyset^o \emptyset \$ \emptyset \emptyset \emptyset^\pm \emptyset \$ \emptyset^a$

Ù,Ø¥Ø,Ù‡Ø§Ø± Ø§Ù„Ø§Ø®ØªÙ„Ø§ÙØ§Øª Ø „ÙŠÙ† Ø§Ù„Ø¬Ø±Ø© Ø§Ù„Ø¹Ø§Ù„Ù„Ø© Ù†ØÙ„Ø§Ù„ØªØ¬Ø±ÙŠØ¬ Ø£Ù„Ø „ÙŠÙ† Ø§Ø«Ù†ÙŠÙ†Ù„Ù† Ø§Ù„Ø§Ù„ØªØ²Ø§Ù„...Ø§ØªØŒ Ø§Ø³ØªØ®Ø¬Ù„...Ø§Ù„Ø£Ù„Ø± git diff.

$\emptyset \in \emptyset, \emptyset^a \in \emptyset \pm \emptyset^1 \in \emptyset^{\wedge} \emptyset \in \emptyset, \emptyset^{-} \in \emptyset \dots \emptyset^{-}$

Ø¥Ù†Ø'Ø§Ø; Ø§Ù„ÙØ±Ù^Ø¹ Ù^Ø§Ù„ØªØ"Ø"ÙÙ„Ø"ÙÙ„ÙÙ†Ù‡Ø§

Ù„Ø³Ø±Ø¬Ù...ÙÙØ¹ ØÙÙ„ÙØ±Ù“Ø¹ØŒ ØÙØ³ØªØ®Ø¬Ù... ØÙÙ„Ø£Ù...Ø± git branch. Ù„Ù„ØªØ”Ø¬ÙÙÙ„Ø¥Ù„Ù‰ ØÙØ±Ø¹Ù...Ø¬Ø¬ØŒ ØÙØ³ØªØ®Ø¬Ù... ØÙÙ„Ø£Ù...Ø± git checkout.

Ü „Ø¥Ù+Ø’Ø\$Ø; ÜØ±Ø¹ Ø-Ø-ÙØ\$Ø-ØŒ Ø\$Ø³ØªØ®Ø-Ù... Ø\$Ù„Ø£Ù...Ø± git branch <branch-name>

$\emptyset^- \cup \dots \cup \emptyset^- \emptyset \notin \cup_{\alpha < \omega_1} \emptyset^\alpha$

ØÙ„Ù...Ø³ØªÙ^Ø^-Ø¹Ø§Øª ØÙ„Ø..Ø¹ÙšØ^-Ø©

Ø¥Ø¶Ø§ÙØ© Ù...Ø³ØªÙ^Ø^-Ø¹ Ø..Ø¹ÙÙØ-

Ù..Ø¥Ø¶Ø§ÙØ© Ù..Ø³Ø²Ù~Ø~Ø¹ Ø~Ø¹ÙØ§Ø~ØÆ ØØ§Ø³Ø²Ø@ØØ~Ù... Ø§Ù~Ø§Ù~Ø± git remote add <remote-name> <remote-url>

$\emptyset^{-} \cup \emptyset^1 \emptyset \in \emptyset .. \emptyset^a \emptyset^0 \cup \emptyset^2 \emptyset^2 \emptyset^0 + \emptyset \in \emptyset^a \cup \emptyset^3 \emptyset^0 \emptyset^0 .. \cup \emptyset^0 \in$

Ù,Ø¬ÙØ¹ Ø§Ù„ØªØ¬ÙŠÙØ±Ø§Øª Ø§Ù„Ù...ØÙ„ÙŠØ© Ø¥Ù„Ù‰ Ø...Ø³ØªÙ¬Ø¹ Ø¬Ø¹ÙŠØ¬ØŒ Ø§Ø³ØªØ®Ø¬Ù... Ø§Ù„Ø£Ù...Ø± git  
push <remote-name> <branch-name>. Ù,Ø³Øº Ø§Ù„ØªØ¬ÙŠÙØ±Ø§Øª Ù...Ù†Ù...Ø³ØªÙ¬Ø¹ Ø¬Ø¹ÙŠØ¬ØŒ Ø§Ø³ØªØ®Ø¬Ù...  
Ø§Ù„Ø£Ù...Ø± git pull <remote-name> <branch-name>.

$\emptyset \in \emptyset, \emptyset^a \emptyset^1 \in \emptyset^{\hat{U}^+ \hat{U}^-}$

ÙŠÙ^ÙØ± Ø-ÙŠØª Ø§Ù„Ø¹Ø^-ÙŠØ^- Ù...Ù† Ø§Ù„Ù...ÙŠØ²Ø§Øª Ø§Ù„ØªÙŠ ØªØ-Ø¹Ù„Ù...Ù† Ø§Ù„Ø³Ù‡Ù„ Ø§Ù„ØªØ¹Ø§Ù^Ù†Ù...Ø¹Ø§Ù„Ù...Ø·ÙØ+ÙŠÙ† Ø§Ù„Ø¢Ø®Ø+ÙŠÙ†.

$$\theta^a \cup \theta^+ \theta^1 \theta^6 \cup \dots \cup \theta^3 \theta^a \cup \theta^- \theta^1$$

$\theta \otimes \theta^3 \theta^a \bar{U} + \theta^3 \theta \otimes \theta \bar{U} \dots \bar{U} \dots \theta^3 \theta^a \bar{U} \wedge \theta^- \theta^1$

$$\theta^a \theta^1 \theta^6 \theta + \theta^1 \theta^6 \theta^a \theta^6 \theta^1 \theta^1 \theta^1$$

ØFÙ^ØSÙ... Ø± Ø¬ÙÙØ^a ØSÙÙ... Ø^aÙØ^-Ù... ØØ

ÙŠÙ^ÙØ± Ø-ÙŠØ^a Ù...Ø-Ù...Ù^Ø¹Ø© Ø^Ø\$Ø³Ø¹Ø© Ø...Ù† Ø\$Ù„Ø£Ù^Ø\$Ù...Ø± Ø\$Ù„Ù...Ø^Ù,Ø^-Ù...Ø© Ø\$Ù„Ø^ÙÙ...ÙfÙ† Ø\$Ø³Ø^a Ø®Ø^-Ø\$Ù„Ù^Ø\$Ø³Ù „ Ø\$Ø-Ø+Ø\$Ø; Ù„Ù^Ø\$Ù„ØfÙ^fØ«Ø+ Ø^Ø¹Ø±Ù„Ù^Ø\$Ø

$\theta^a \otimes \theta^2 \bar{J} \bar{J} + \theta \bar{J} \bar{J} \theta + \theta \theta \bar{J}$

ÙÙŠ Ø¬ÙŠØ<sup>a</sup>.

$\emptyset \in \emptyset, \emptyset^a \emptyset \pm \emptyset \in \emptyset - \emptyset^1 \emptyset^1 \in \emptyset \neq \emptyset, \emptyset^a \emptyset \circ \emptyset \in \emptyset \in \emptyset \pm \emptyset \in \emptyset$

ÙŠØ³Ù...ØÙ„Ùf Ø§Ù„Ø£Ù...Ø± git reset HEAD <file-name> Ø”Ø¥Ù„ØºØ§Ø; ØªØÙ...ÙŠÙ„Ù...Ù„Ù...Ù†Ù...Ù†ØÙ„ØØÙ„ØªØØÙ...Ø±ÙŠØ-Ù. ÙŠØ³Ù...ØÙ„Ùf Ø§Ù„Ø£Ù...Ø± git checkout -- <file-name> Ø”Ø§Ø³ØªØ¹Ø§Ø-Ø©Ù...Ù„ÙØ¥Ù„Ù%o Ø¢ØØØ±ØØÙ„Ø©Ø§Ù„ØªØØØÙ...Ù„Ùf.

„Ù,Ù,Ø⁰⁰¹Ø±Ù Ø¹Ù,Ù‰% ØÙÙ,Ù...Ø²ÙÙØ⁻ ØÙÙ,Ù, Ø-ÙÙØ⁰ØŒ ØÙØ·Ø-Ø¹Ùf Ø¹Ù,Ù‰% ØÙØ³Ø⁰aÙfØ⁻ØÙÙ,ÙØ¹Ù,Ø-ÙÙØ⁰ØÙÙ,Ø±Ø³Ù...ÙÙØØCÙ,Ù...ÙØÙØ±Ø⁻ ØÙÙ,ØÙØØØ±Ù‰% ØÙÙ,Ù...Ø²ÙÙØ±ØC Ø¹Ø⁻Ø±ØÙÙ,ØÙØØ±Ø¹Ø⁻Ø±ØÙÙ,ØÙØØ±Ø¹Ø⁻Ø±ØÙÙ.

<https://ar.commandline.wiki/how-can-i-use-commandline-git-to-manage-my-projects/>